

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/082,142	02/26/2002	Yuki Kuroiwa	219979US3X	5311
22850	7590 10/14/2004		EXAM	INER
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET			MAYES, MELVIN C	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER

DATE MAILED: 10/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

				/
		Application No.	Applicant(s)	7
Office Action Summan		10/082,142	KUROIWA ET AL.	
	Office Action Summary	Examiner	Art Unit	
- 198	7	Melvin Curtis Mayes	1734	
Period fo	The MAILING DATE of this communication reply	n appears on the cover sheet w	ith the correspondence address -	t-s
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR R MAILING DATE OF THIS COMMUNICATI naions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communicatic e period for reply specified above is less than thirty (30) days, o period for reply is specified above, the maximum statutory per to reply within the set or extended period for reply will, by reply received by the Office later than three months after the ed patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a lon. a reply within the statutory minimum of thir beriod will apply and will expire SIX (6) MON statute, cause the application to become A	reply be timely filed ty (30) days will be considered timely. THS from the mailing date of this communica	ation.
Status				
1) 🛛	Responsive to communication(s) filed on	19 July 2004	•	
		This action is non-final.		
3)	Since this application is in condition for all		ters, prosecution as to the merits	s is
•	closed in accordance with the practice und			, ,,
Dispositi	on of Claims			
	,	ha analiantian		
	Claim(s) <u>1-6 and 17-26</u> is/are pending in t 4a) Of the above claim(s) is/are with	• •		
	Claim(s) <u>19-26</u> is/are allowed.	idrawn from consideration.		
	Claim(s) <u>1-6,17 and 18</u> is/are rejected.			
	Claim(s) is/are objected to.			
	Claim(s) are subject to restriction a	nd/or election requirement.		
	on Papers			
	·	•		
	The specification is objected to by the Example drawing(s) filed on the interest of the control			
10)	The drawing(s) filed on is/are: a) Applicant may not request that any objection to			
	Replacement drawing sheet(s) including the co			4.7.45
11)	The oath or declaration is objected to by the	e Examiner. Note the attached	S) is objected to. See 37 CFR 1.121 office Action or form PTO-152.	ı (a).
Priority u	nder 35 U.S.C. § 119			
12) 🔲 .	Acknowledgment is made of a claim for for ☐ All b) ☐ Some * c) ☐ None of:	eign priority under 35 U.S.C. §	119(a)-(d) or (f).	
	1. Certified copies of the priority docum	nents have been received.		
	 Certified copies of the priority document 			
	3. Copies of the certified copies of the		received in this National Stage	
	application from the International Bu			
* 8	ee the attached detailed Office action for a	list of the certified copies not	received.	
Attachment	(s)	4		
	of References Cited (PTO-892)	4) Interview S	ummary (PTO-413)	
2) ☐ Notice 3) ☐ Inform	e of Draftsperson's Patent Drawing Review (PTO-948 nation Disclosure Statement(s) (PTO-1449 or PTO/SE) Paper No(s)/Mail Date formal Patent Application (PTO-152)	
Paper	No(s)/Mail Date	6) Other:		
Dotont - 17				

Art Unit: 1734

DETAILED ACTION

Claim Interpretation

(1)

Based on the arguments, the now claimed limitation "...a wall surface of which a distance and a direction against the high-speed fluid cyclically changes" is interpreted to mean that the distance of the wall surface and the fluid changes and the direction of the wall surface with respect to the fluid changes (as also described in Kuroiwa et al. 6,524,521).

It is also suggested that the claimed limitation language and this description of the claimed limitation be added to the specification to make it clear what the claimed limitation means.

Claim Rejections - 35 USC § 103

(2)

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

(3)

Claim 1, 2, 6, 17, and 18 are rejected under 35 U.S.C. 103(a) as being obvious over the admitted prior art in view of DE 23 21 401 Abstract and Kuroiwa et al. 6,524,521.

The applied reference Kuroiwa et al. 6,524,521 has a common inventor with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome by:

(1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference

Art Unit: 1734

was derived from the inventor of this application and is thus not an invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR 1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer in accordance with 37 CFR 1.321(c). For applications filed on or after November 29, 1999, this rejection might also be overcome by showing that the subject matter of the reference and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person. See MPEP § 706.02(1)(1) and § 706.02(1)(2).

The admitted prior art discloses that the ordinary melt-blow method of manufacturing a nonwoven fabric has a melt-blow die having a plurality of nozzles aligned in a direction perpendicular to the conveyor (i.e. parallel with the machine direction of the conveyor) and air reservoirs on both sides of each nozzle having highly pressurized air heated to a temperature equal to or higher than the melting point of the resin and communicating with slits to provide high-speed air streams substantially parallel with the direction of extrusion of filaments from the nozzles to attenuate the filaments (pg. 12, lines 9-26). The admitted prior art further discloses that it is considered that the best method for increasing the align-ability of filaments in the transverse direction and the mechanical strength of filaments per se is to stretch the web of filaments in the transverse direction and discloses that conventional stretching devices nip the web (pg. 3, lines 23-26, pg. 38). The admitted prior art of record does not disclose providing at

Art Unit: 1734

least one air stream vibrating means for cyclically changing the flowing direction of the highspeed air streams to change the movement of the filaments across the machine direction of the conveyor, the vibrating means including a wall surface whose distance and direction against the air streams.

DE 23 21 401 Abstract teaches that to ensure that filaments are laid in a homogenous blanket of equal density across its whole width, curved shells are provided on each side of the filament and carrier streams and moved alternately from side to side to deflect the carrier streams on either side of the central line.

Kuroiwa et al. teach that for periodically changing the direction of a high speed air stream carrying filaments extruded from nozzles, an air stream vibrating mechanism having a wall surface can have at least one of the direction of the wall surface with respect to the air stream and the distance of the wall surface from the air stream varied (col. 2, line 65 – col. 3, line 4).

It would have been obvious to one of ordinary skill in the art to have modified the method of the admitted prior art for manufacturing a nonwoven fabric by providing movable curved shells on each side of the filaments and hot air streams issuing from the nozzles of the melt-blow die, as taught by DE '401, to deflect the streams of hot air and filaments to ensure that the filaments are laid in a homogenous blanket of equal density across its whole width. By providing curved shells on each side of the plurality of nozzles and which are moved alternately from side to side on each side to deflect the carrier streams on either side of the central line of the filaments and air streams, a pair of air stream vibrating means having wall surfaces are provided which cyclically change the flowing direction of the high-speed air streams to change the

Art Unit: 1734

movement of the filaments across the machine direction, as claimed, by cyclically changing the distance between the wall surfaces and the air streams.

It would have been obvious to one of ordinary skill in the art to have further modified the method of the admitted prior art by also cyclically changing the direction of the curved shells with respect to the air streams, as Kuroiwa et al. teach one or both of the distance and direction of the wall surface of an air stream deflecting means can be varied to change the direction of the air stream carrying filaments. Changing both the distance and direction of the curved shells with respect to the air streams would have been obvious to one of ordinary skill in the art to control deflection of the filaments.

(4)

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of Underwood 3,220,812.

Underwood teaches that in forming and collecting fibers, a gas and fiber confining chamber or enclosure is provided to restrict and control air flow and for adjusting the width of the fibrous mass formed on the conveyor. A portion of the gases and fibers may move upwardly along the walls of the chamber or enclosure and are redirected and eventually collected on the conveyor (col. 4, lines 36-46, col. 7, lines 10-16).

It would have been obvious to one of ordinary skill in the art to have modified the method of the references as combined by providing the melt-blow die with a gas and fiber confining chamber or enclosure, as taught by Underwood, to restrict and control air flow and for adjusting the width of the fibrous mass formed on the conveyor. By providing the melt-blow die with a chamber or enclosure, high-speed air is circulated, as claimed, because, as taught by

Art Unit: 1734

Underwood, a portion of the gases and fibers may move upwardly along the walls of the chamber or enclosure and are redirected and eventually collected on the conveyor.

(5)

Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 3 above, and further in view of Kurihara et al. 6,132,661.

Kurihara et al. teach that melted filaments immediately after the extrusion from the nozzles are subjected to positive heating and the temperature of the surrounding atmosphere close to the nozzles is kept at an elevated temperature in order to maintain the filaments in a state to be draftable. As a means to raise the surrounding temperature, any means such as heating with a heater can be used (col. 4, lines 10-40).

It would have been obvious to one of ordinary skill in the art to have modified the method of the references as combined by providing a heater to blow hot air to the filaments and air streams issuing from the nozzles, as taught by Kurihara et al., to subject the filaments to positive heating and keep the temperature of the surrounding atmosphere close to the nozzles at an elevated temperature in order to maintain the filaments in a state to be draftable.

(6)

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of either Weber et al. 3,959,421 or Kurihara et al. 6,132,661.

Weber et al. teach that in making a nonwoven fabric by melt blowing, fibers in the gas stream are rapidly quenched by spraying a liquid into the gas stream near the die tip to permit a

Art Unit: 1734

high quality fibrous web to be formed at significantly faster production rates without leading to excessive formation of "shot" or non-fibrous polymer in the final web (col. 2, lines 31-38)

Kurihara et al. teach that in making a nonwoven fabric by a melt-blowing die, an aqueous spray is used to rapidly cool the melted filaments so as to attain the appropriate stretching and higher strength and to avoid sticking of the web to the conveyor surface (col. 5, lines 54-60).

It would have been obvious to one of ordinary skill in the art to have modified the method of the references as combined by spraying a liquid on the filaments and hot air streams issuing from the nozzles, as taught by Weber et al., to rapidly quench the filaments, thus permitting a high quality fibrous web to be formed at significantly faster production rates without leading to excessive formation of "shot" or non-fibrous polymer in the final web or, as taught by Kurihara et al., to attain the appropriate stretching and higher strength and to avoid sticking of the web to the conveyor surface.

Allowable Subject Matter

(7)

Claims 19-26 are allowed.

Conclusion

(8)

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 1734

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

(9)

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin Curtis Mayes whose telephone number is 571-272-1234. The examiner can normally be reached on Mon-Fri 7:30 AM - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Fiorilla can be reached on 571-272-1187. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 1734

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Melvin Curtis Mayes Primary Examiner Art Unit 1734

MCM October 7, 2004